



URL: https://www.foodequipment.com.au/media/catalog/product/b /d/bd466f-chest-freezer.jpg

BD466F Chest Freezer with SS lid

Quick Overview

BD466F Chest Freezer with SS lid

Thermaster Temperate

Giant in capacity, the FED chest freezer fitted with SS lid is able to store up to 466 litre's, made with a heavy duty and advanced design, it can refrigerate between -22 and -18 ° C and comes with a basket (more available through our website) and stainless steel lifting lid.

Ambient 32°c & 75% Rh

- Heavy Duty Commercial
- Stainless Steel Lifting Lid
- Comes With 1 Baskets
- Castors

* Can Fit 4 Baskets, Code For Extra Baskets - Bd466F-Basket

* Internal: 1342Mmw × 492D × 632H

Description

BD466F Chest Freezer with SS lid

Spacious and well equipped to store your frozen foods and stock, the BD-466F is one of our prized commercial chest freezers.

Featuring a solid top and a heavy-duty exterior, the BD-466F is fitted for any restaurant, seafood shop, takeaway store, butcher or supermarket needing to keep their frozen foods, chilled meals and drinks cold and freezing.

This massive chest freezer fits up to 466 litres with strong stainless-steel lifting lid for durability, castors for movement, and varying temperature levels, so you can decide how cold you want your interior.

If you desire an easily accessible freezer that 's large in capacity and can fit within your large restaurant or store, then the BD466F is your answer.

Thermaster Temperate

Heavy Duty & Advanced Design

Capacity: 466 Litre

Refrigerated -22 to -18°c

Ambient 32°c & 75% Rh

- Heavy Duty Commercial
- Stainless Steel Lifting Lid
- Comes With 1 Baskets
- Castors

* Can Fit 4 Baskets, Code For Extra Baskets - Bd466F-Basket

* Internal: 1342Mmw x 492D x 632H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| Net Weight (Kg) | 66 |
|---------------------|------------|
| Width (mm) | 1483 |
| Depth (mm) | 701 |
| Height (mm) | 920 |
| Packing Width (mm) | 700 |
| Packing Depth (mm) | 1490 |
| Packing Height (mm) | 830 |
| Power | 240V; 250W |