



URL: https://www.foodequipment.com.au/media/catalog/product/s /I/sl850v-chilled-food-display_1.jpg

Quick Overview

- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Aspera Compressors
- German Ëbm-Pabst Fans
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- · Very High Humidity
- Easy To Clean
- 3 Levels Of Wired Shelving Plus Floor
- 1500 mm Wide

Chilled Square Stainless Steel Food Display - SL850V

A prominent and practical display unit from Bonvue, the SL850V is a smart purchase for bakery and café owners wanting to gain that competitive edge and showcase their fresh food for everyone to see.

Bonvue provides a top of the line collection of highly desired display units that have proved beneficial to many cafes and restaurants.

The SL850V offers an eye-catching display with interior lighting and a chilled interior for preservation. It 's a perfect unit to present meals such as sandwiches, wraps, salads, pastries, yogurts and cakes.

One of our bigger units within Bonvue's collection of powerful display cases, this workhorse is bound for medium to large cafes and bakeries who stock a variety of fresh foods, snacks and sweets.

This deluxe display is very reliable and, like the others in this series, features the same qualities including fans, compressors, triple glazed glass with wire filaments, heavy duty exterior and temp controls.

4 Display Levels

Description

Refrigerated 2 to 8 ° C

- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Aspera Compressors
- German Ëbm-Pabst Fans
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 3 Levels Of Wired Shelving Plus Floor
- 1500 mm Wide

*	Also Subject	To The	Terms In	The \	Narranty	Section	Of Our	Terms &	Conditio	ns

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	305
Width (mm)	1500
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	815
Packing Depth (mm)	1550
Packing Height (mm)	1520
Power	240V; 895W