

Your Guide

To Commercial Refrigeration

A close-up photograph of a white ceramic bowl filled with pho, a traditional Vietnamese noodle soup. The bowl is filled with a clear broth, thin rice noodles, sliced beef, fresh green herbs like cilantro and basil, and bean sprouts. A drizzle of red chili sauce is on top. The bowl sits on a woven bamboo placemat. In the background, another bowl of fresh herbs is visible on a blue wooden table.

Food Storage
Food Preparation
Food Display
Bar Display
General Display
Blast Chillers
Ice Makers
Glass Door Inserts

Depend on us for the best in refrigeration



50 Years

Keeping your drinks cold and food safe



Quality

Uncompromised performance and reliability



ActiveCore™

Unique technology, lower your operating costs



Legal

Fully compliant to meet all local standards



Sustainability

Greener with Natural Refrigerants



Support

Superior after sales service & spare parts



Options

Present your brand and products at their best



Customisation

Customise to suit your exact requirements



SKOPE Funding

Peace of mind with our tailored ownership plan



SKOPE-connect™

Our app based innovation puts you in control

NAVIGATION

find what you are looking for

Refer to these industry symbols for our recommendation on where each product is best suited

-  restaurants / cafes
-  hospitality / venues
-  clubs / pubs / bars
-  accommodation
-  quick service restaurants
-  schools
-  convenience / petrol / supermarkets
-  medical / aged care
-  food production
-  bakeries

Navigate our wide range of products from the following categories

	page
Food Storage	7
Food Preparation	17
Food Display	19
Bar Display	21
General Display	25
Blast Chillers	27
Ice Makers	29
Glass Door Inserts	31




SKOPE Funding

Enjoy Peace of Mind with a Tailored Ownership Plan

Own Me - Ownership Plan

- ✓ Free up cashflow
- ✓ Extend your warranty protection
- ✓ Annual planned maintenance included
- ✓ Flexible term, choice of 1, 2, 3, 4 or 5 years
- ✓ Affordable monthly payments
- ✓ No end of term balloon or residual payment
- ✓ Ownership at end of term
- ✓ Load your balance sheet and claim depreciation, and GST

Quick & Easy Application

-  **Apply Now Online**
skope.com/funding
-  **By Phone**
AUS 1800 121 535 (opt 4)
NZ 0800 947 5673 (opt 4)
-  **By Email**
skopefunding@skope.com

NEW TO FOOD STORAGE

ProSpec and the award-winning ReFlex series represent a giant leap in underbench and upright food storage solutions, offering you unbeatable strength, value and flexibility.

Both series offer cutting-edge refrigeration power, efficiency and environmental responsibility, plus the smart control features of the SKOPE-connect fridge management platform. They are built to SKOPE's exacting quality standards including the use of tough 304 stainless steel.

For the kitchen professional who really wants to make their mark, the ProSpec Series offers a sleek, seamless design ideal for show kitchens or front-of-house applications. ProSpec incorporates the world-leading efficiency and features of SKOPE's ActiveCore™ interchangeable refrigeration system.



ReFlex

ProSpec







ProSpec Series



ReFlex Series



	ProSpec Series Upright Models <small>(Other models in development)</small>	ReFlex Series Upright & Underbench Models <small>(Other models in development)</small>
Environment	Moderate to heavy duty kitchens	All kitchen types
Fridge Available	✔ Yes	✔ Yes
Freezer Available	⊖ In development	✔ Yes
Solid & Glass door models	⊖ Solid door only	✔ Yes (glass door - underbench)
Gastronorm (GN)	✔ GN 2/1 Sized	✔ GN Compatible (underbench)
Energy Efficiency	✔✔✔ Excellent	✔✔ Very Good
High Ambient Rated	✔ Yes	✔ Yes
ActiveCore Technology	✔ Yes 	⊖
R290 Natural Refrigerant	✔ Yes 	✔ Yes
SKOPE-connect™ enabled	✔ Yes 	✔ Yes
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	5 Years 	2 Years

It's time to flex
some muscle



ReFlex

Reliable Strength. Incredible Technology

Unrivalled features at exceptional value

Reduce your energy costs & carbon footprint

Ultra-precise food storage temperatures

Manage, monitor, control from your smartphone

Legendary SKOPE toughness

Award-winning series



SKOPE-connect™



R290 Natural Refrigerant



FOOD STORAGE UNDERBENCH

Designed to be highly efficient and reliable, our underbench range can be neatly fitted under benchtops or fitted with optional tops. Available in gastronorm and non-gastronorm configurations, the SKOPE range has an option to suit exactly how you work.

The award-winning ReFlex Series is designed for food service businesses looking to maximize every dollar. ReFlex combines cutting-edge power savings and the time-saving advantages of the SKOPE-connect™ app with traditional SKOPE toughness and temperature consistency.





ReFlex Series




Pegasus Series



Counterline Series

	ReFlex Series	Pegasus Series	Counterline Series
Environment	All kitchen types	Moderate to heavy duty kitchens	Moderate to heavy duty kitchens
Fridge Available	1, 2, 3 & 4 door	1, 2, 3 & 4 door + drawers	✓ Yes
Freezer Available	1, 2 & 3 door	1, 2, 3 & 4 door	✗ No
Solid & Glass door models	✓ 1 - 4 solid, 2 - 3 glass	✗	✓ 2, 3 & 4 solid & glass
Gastronorm (GN)	✓ GN Compatible	✓ 1/1 & 2/1 Pans	✗
High Ambient Rated	✓ Yes up to 40°C	✓ Yes up to 43°C	✓ Yes up to 40°C
Energy Efficiency	✓ ✓ Very Good	✓ Standard	✓ Standard
R290 Natural Refrigerant 	✓ Yes	✗	✗
SKOPE-connect™ enabled 	✓ Yes	✗	✗
Remote Available	✗	✓ Yes	✓ Yes
Options Available	✗	✓ Yes	✓ Yes
Customisable	✗	✓ Yes	✓ Yes
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	2 Years	2 Years	2 Years



FOOD STORAGE UPRIGHT

Upright food storage cabinets provide practical storage solutions for all types of commercial kitchens. Our premium ranges feature stylish design and heavy duty construction to withstand demanding commercial use.

ReFlex and ProSpec are the latest additions to the upright food storage range. ReFlex offers an unrivalled package of strong SKOPE reliability, excellent power economy, and the SKOPE-connect app. Thanks to SKOPE's unique ActiveCore systems, ProSpec offers the ultimate in efficiency, performance and durability in a sleek design and includes SKOPE's wide range of options to customise to your exact needs.



	ProSpec Series	ReFlex Series	Pegasus Series
Environment	Medium to heavy duty kitchens	All Types	Medium to heavy duty kitchens
Fridge Available	1 & 2 door	1 & 2 door + Combo	1 & 2 door
Freezer Available	⊖ In development	1 & 2 door	1 & 2 door
Gastronorm (GN)	✓ 2/1 stainless steel racks	⊖	✓ 1/1 & 2/1 pans
High Ambient Rated	✓ Yes	✓ Yes	✓ Yes
Energy Efficiency	✓✓✓ Excellent	✓✓ Very Good	✓ Standard
ActiveCore Technology	✓ Yes	⊖	⊖
R290 Natural Refrigerant	✓ Yes	✓ Yes	⊖
SKOPE-connect™ enabled	✓ Yes	✓ Yes	⊖
Remote Available	⊖ In development	⊖	✓ Yes
Options Available	⊖ In development	⊖	✓ Yes
Customisable	⊖ In development	⊖	✓ Yes
Full Warranty (parts & labour)	5 Years	2 Years	2 Years

Subject to terms & conditions

The new mark of
a professional



ProSpec

You need to think outside the box to create culinary excellence. So why choose cold storage that boxes you in?

Choose market-leading configuration options designed for chefs. Choose professional-grade quality refrigeration and smart technology. Choose to make your mark.



SKOPE-connect™




R290 Natural Refrigerant



ActiveCore™ Technology



5 Year Warranty Protection



FOOD PREPARATION

Food prep fridges combine underbench storage with the convenience of a refrigerated reach-in top and are essential for any venue serving pizzas, salads or sandwiches. All cabinet sections maintain food temperatures below the critical 5°C, to meet health standards and promote consistent food quality.

Our prep fridges are exhaustively tested to ensure your food stays fresh and safe and our unrivalled reputation for build quality ensures an optimum return on your investment.



Pegasus Series



Centaur Series

	Pegasus Series	Centaur Series
Environment	Busy to heavy duty kitchens	Light to moderate duty kitchens
Models Available	Pizza & Sandwich	Pizza & Sandwich
Gastronorm Storage (GN)	✔ Yes 1/1 & 2/1	✘ No (holds GN pots)
SKOPE Premium Controller	✔ Yes	✘ No
Remote Available	✔ Yes	✘ No
Options Available	Comprehensive	Limited
Customisable	✔ Yes	✘ No
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	2 Years	2 Years



FOOD DISPLAY

Our food display products provide the very best solution when presenting food or drinks to the highest standard possible.

Perfect for offering chilled products in busy, direct customer-facing areas. A SKOPE display fridge ensures your products are kept at the perfect temperature whilst displaying them at their best to optimise those high-margin impulse sales.



Food Display Series



Open Deck Series



VFX & VFX Ice Series

	Food Display Series	Open Deck Series	VFX & VFX Ice Series
Types	Fridge & ambient	Open faced fridge	Freezer & Ice
Models Available	900, 1200, 1500mm	Impulse & retail	1, 2, 3 door
Ambient environment	up to 32°C	up to 25°C	up to 40°C (Freezer) or 32°C (Ice)
High Efficiency Rated Models	✔ Yes	✔ Yes	✔ Yes
Solid Doors Available	–	–	✔ Yes
Remote Available	✔ Yes	–	✔ Yes
Options Available	–	Limited	✔✔ Good
Customisable	✔ Yes	✔ Yes	✔ Yes
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	2 Years	2 Years	2 Years



BAR DISPLAY

Our Backbar fridges are designed and built to help you sell more drinks. Engineered to keep drinks icy cold, with lighting and glass doors to highlight your products to your customers, SKOPE bar display cabinets help grow your business.

With features including quiet operation, low running costs and a customisable finish there is no better bar fridge than a SKOPE.



Backbar X Series



Backbar Series



Counterline Series



Glass Chiller Series

	Backbar X Series	Backbar Series	Counterline Series	Glass Chiller Series
Design Aesthetic	Updated ✓	Traditional	Traditional	Traditional
High Efficiency Rated Models	✓ Yes	✓ Yes	✓ Yes	✗
Ambient Environment	up to 40°C	up to 32°C	up to 40°C	up to 40°C
Door Type	Swing	Sliding	Swing or Sliding	Swing
Remote Available	✓ Yes	✓ Yes	✓ Yes	✓ Remote only
Options Available	✓ Yes	✓ Yes	✓ Yes	✗
Customisable	✓ Yes	✓ Yes	✓ Yes	✓ Yes
Full Warranty (parts & labour) Subject to terms & conditions	2 Years	2 Years	2 Years	2 Years



SKOPE-connect™ puts you in control

Monitor and control your SKOPE smart-fridges from a smartphone or tablet - for free.



Easy and free HACCP management

Display and export fridge temperature data and raise an alert if the temperature exceeds the limits you set.

Connect and Control via Bluetooth™

Individual & multiple fridges across venues.

Review the History

24 hour quick view summary or up to 5 months of graphical information for fridge temperature, energy use and door openings.

Know the Energy Use

Drill down into energy consumption by day, week, or month in both kWh and \$ value.

Set the Product Temperature

Simple "one-touch" temperature select for the product being stored via seven easy pre-sets or manual adjustment.

Control the Lighting

Switch lights on or off, or schedule lights to function with store hours or door openings.

Make it Quieter

One touch Hush Mode quiets the fridge, making it ideal for customer service areas.


Comprehensive Alarms

Provides a description of the fridge or freezer fault and the recommended action to rectify it.

+ more

for full details visit
skope.com/skope-connect

ActiveCore 2

 SKOPE-connect™

 R290 Natural Refrigerant



GENERAL DISPLAY

Our unique ActiveCore™ technology was developed to provide maximum cooling performance with the least amount of energy. This means the appropriate internal temperature for the product is tightly maintained, while saving significant money on power.

Our extensive range of glass door cabinets are designed to display or store almost any type of food, drink or perishable product in their best condition.



ActiveCore 2 Series
SKT & SKB





ActiveCore 2 Series
TME & BME



TCE1000 EZICORE



Serene Series

	ActiveCore 2 SKT - SKB Series	ActiveCore 2 TME - BME Series	EZICORE TCE1000 Series	Serene Series
Display & Store	Food & Drinks	Food & Drinks	Food & Drinks	Food & Drinks
Refrigeration options	Top/Bottom Mount	Top/Bottom Mount	Top Mount	Bottom Mount
ActiveCore Technology	✔ Yes	✔ Yes	⊖ No EZICORE	⊖
Fridge Available	✔ 1, 2 & 3 doors	✔ 1, 2 & 3 doors	✔ 2 doors	✔ 1 door
Available in a range of finishes	✔ Yes	⊖	⊖	⊖
Market Leading Energy Efficiency	✔ Yes	✔ Yes	⊖	⊖
SKOPE-connect™ enabled 	✔ Yes	✔ Yes	⊖	⊖
R290 Natural Refrigerant 	✔ Yes	✔ Yes	⊖	⊖
Solid & Tropical Door Option	✔ Yes	⊖	⊖	⊖
Remote Available	✔ Yes	⊖	⊖	⊖
Customisable	✔ Yes	⊖	⊖	⊖
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	5 Years	5 Years	2 Years	1 Year



BLAST CHILLERS

Irinox blast chilling and freezing is a must-have technology in successful commercial kitchens, and Irinox is the brand that sets global standards.

Irinox helps get the best out of your hospitality business. Essential for food-safety, Irinox also assists with better organisation and planning, reducing food waste, maximising food quality, extending shelf life and expanding the menu.



Irinox EF Series
Blast Chillers & Shock Freezers



Reach In Roll In

Irinox MF Plus Series
Blast Chillers & Shock Freezers
Reach In or Roll In



Irinox Holding Cabinet Series

	MF Plus Series	EF Series	Holding Cabinet Series
MyA Touchscreen Interface	✔ Yes	✖	✔ Yes
Yield Range	25 - 750kg	10 - 45kg	Up to 120 trays
Low Temp Cooking Function	✔ Yes	✖	N/A
Personalise Cycles	✔ Yes	✖	✔ Yes
Sanigen Sanitising System	Standard	✖	Optional
Remote Available	✔ Yes	✖	✔ Yes
Customisable	Comprehensive	✖	Comprehensive
Types Available	Reach In & Roll In	Reach In	Reach In
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	2 Years	2 Years	2 Years



ICE MAKERS

SKOPE - ITV modular and self-contained Ice Makers offer superior energy-efficient solutions that respond to the needs of demanding food service, grocery and hospitality industries.



Alfa Series



Spika Series



Gala Series



Ice Queen Series



Silo Storage Bin Series

	ALFA Series	SPIKA Series		GALA Series	Ice Queen Series
Ice Shape	ALFA	SPIKA HD	SPIKA FD	GALA	Dry Granular
Stainless Steel Construction	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>	Yes <input checked="" type="checkbox"/>
Production models (kg/24h)	24, 30, 45, 60, 80, 110, 150	60, 90, 110, 140, 220, 300, 405	60, 90, 110, 140, 220, 300, 405	150, 400	58, 85, 135, 140, 220, 390, 565, 1125
Type	Self-contained	Self-Contained & Modular	Modular	Modular	Self-Contained & Modular
Ideal for	Drinks & Cocktails	All drinks	All drinks	Whisky & Cocktails	Drinks & Food Display
Ice Size (w x d x h) mm	39 x 27 x 30	26 x 11 x 23	26 x 23 x 23	40 x ø x 34	26 x 11 x 23
Ice Storage Capacity (kg)	6 - 75	20 - 45 (Self-Contained)	20 - 45 (Self-Contained)		20 - 40 (Self-Contained)
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	2 Years	2 Years	2 Years	2 Years	2 Years

*Refer to optional storage bin specs pg 45



GLASS DOOR INSERTS

High quality glass door inserts and shelves offer superior thermal performance, enhanced merchandising opportunities and reliability. Available in a range of sizes and configurations, which make them ideal for new installation or retrofit into existing rooms.



Glass Door Inserts & Shelves Series
(Modular shelving system available)

	Inserts & Shelves Series
For Cool or Freezer Rooms	✓ Yes
Door width (mm)	700 & 750
Door height (mm)	1800
Heavy Duty - long life	✓ Yes
Left or right opening option	✓ Yes
LED internal lights	✓ Yes
Anti-condensation	✓ Yes
Quick Install	✓ Yes
Customisable	✓ Yes
Full Warranty (parts & labour) <small>Subject to terms & conditions</small>	5 Years

CUSTOMISE

what's right for you?

Let us create a refrigeration solution
unique to your business

Style your doors, handles and other features to really stand
out from the crowd

Make it larger, smaller, deeper or higher

Enhance the lighting and showcase your product

Choose a colour to match your decor

Develop a fridge to suit your own product

Be creative - curves, wood panels, mount on a wall

If you can imagine it,
then we'd love to hear
from you



Food Storage Underbench

Model ID Fridge or Freezer Storage Capacity (doors - shelves) External W x D x H (mm)* Finish Door Type (solid /glass) Gross Volume (litres) Remote Option

ReFlex Series GN Compatible

RF6.UBR.1.SD	Fridge	1-3	600 x 635 x 850	Stainless Steel	Solid	129	
RF6.UBF.1.SD	Freezer	1-3	600 x 635 x 850	Stainless Steel	Solid	129	
RF7.UBR.2.SD/GD	Fridge	2-4	1290 x 700 x 855	Stainless Steel	Solid/Glass	248	
RF7.UBF.2.SD	Freezer	2-4	1290 x 700 x 855	Stainless Steel	Solid/Glass	248	
RF7.UBR.3.SD/GD	Fridge	3-6	1750 x 700 x 855	Stainless Steel	Solid	387	
RF7.UBF.3.SD	Freezer	3-6	1750 x 700 x 855	Stainless Steel	Solid	387	
RF7.UBR.4.SD	Fridge	4-8	2210 x 700 x 855	Stainless Steel	Solid	526	



Pegasus 1/1 Underbench GN

PG100	Fridge or Freezer	1-2	863 x 680 x 716	Stainless Steel	Solid	110	✓
PG250	Fridge or Freezer	2-4	1331 x 680 x 716	Stainless Steel	Solid	260	✓
PG400	Fridge or Freezer	3-6	1799 x 680 x 716	Stainless Steel	Solid	410	✓
PG550	Fridge	4-8	2267 x 680 x 716	Stainless Steel	Solid	560	✓



Pegasus 2/1 Underbench GN

PG200	Fridge or Freezer	1-2	1065 x 828 x 771	Stainless Steel	Solid	210	✓
PG500	Fridge or Freezer	2-4	1750 x 828 x 771	Stainless Steel	Solid	480	✓
PG800	Fridge	3-6	2435 x 828 x 771	Stainless Steel	Solid	750	✓



Pegasus 1/1 & 2/1 Lowline GN

PGLL150	Fridge	2 Drawer	1500 x 700 x 520	Stainless Steel	Solid	150	✓
PG300r (remote only)	Fridge	4 Drawer	1792 x 700 x 520	Stainless Steel	Solid	300	✓



R290 Natural Refrigerant

SKOPE-connect™

Model ID Fridge or Freezer Storage Capacity (doors - shelves) External W x D x H (mm)* Finish Door Type (Glass/Solid) Gross Volume (litres) Remote Option

Counterline Series Non-GN

CL400	Fridge	2-4	1600 x 680 x 725	White, Black, SS	Glass / Solid	390	✓
CL600	Fridge	3-6	2210 x 680 x 725	White, Black, SS	Glass / Solid	600	✓
CL800	Fridge	4-8	2820 x 680 x 725	White, Black, SS	Glass / Solid	810	✓
CC300 Slim	Fridge	2-4	1600 x 600 x 725	White, Black, SS	Glass / Solid	335	✓
CC500 Slim	Fridge	3-6	2210 x 600 x 725	White, Black, SS	Glass / Solid	517	✓
CC700 Slim	Fridge	4-8	2820 x 600 x 725	White, Black, SS	Glass / Solid	700	✓



Models listed are integral only. For remote models see skope.com

* External dimensions (W x D x H) for accuracy always check the cabinet model's specification sheet as variations can occur due to legs, castors, plinth, optional countertop measurements and remote cabinet measurements.

Food Storage Upright

Model ID

Fridge or Freezer

Storage Capacity (doors - shelves)

Finish

Door Type (Glass/Solid)

Gross Volume (litres)

Remote Option

ReFlex Series

RF7.UPR.1.SD	Fridge	1-5	680 x 760 x 1985	Stainless Steel	Solid	470	
RF7.UPF.1.SD	Freezer	1-5	680 x 760 x 1985	Stainless Steel	Solid	470	
RF7.UPR.2.SD	Fridge	2-10	1220 x 760 x 1985	Stainless Steel	Solid	920	
RF7.UPF.2.SD	Freezer	2-10	1220 x 760 x 1985	Stainless Steel	Solid	920	
RF8.UPC.2.SD	Fridge & Freezer	2-10	1400 x 820 x 2035	Stainless Steel	Solid	513 x 2	



ProSpec Series 2/1 GN Sized

PG21.UPR.1.SD	Fridge	1-5	730 x 865 x 2185	Stainless Steel	Solid	572	
PG21.UPR.2.SD	Fridge	2-10	1410 x 865 x 2185	Stainless Steel	Solid	1266	



Pegasus Series Upright GN

PG600	Fridge or Freezer	1-5	685 x 820 x 2100*	Stainless Steel	Solid	586	✓
PG1300	Fridge or Freezer	2-10	1370 x 820 x 2100*	Stainless Steel	Solid	1298	✓



R290 Natural Refrigerant

SKOPE-connect™

Food Storage Upright continued

Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (glass/solid)	Gross Volume (litres)	Remote Option
Centaur Series Upright GN							
BC074	Fridge or Freezer	1-3	740 x 803 x 1930	Stainless Steel	Solid	557	
BC126	Fridge or Freezer	2-6	1260 x 803 x 1930	Stainless Steel	Solid	1032	
BC126	Fridge & Freezer	2-6	1260 x 803 x 1930	Stainless Steel	Solid	493/493	

*Castors adjustable up to 2125mm

Food Preparation

Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Well Capacity (150mm deep pans)	Gross Volume (litres)	Remote Option
----------	-------------------	------------------------------------	--------------------------	--------	---------------------------------	-----------------------	---------------

Pegasus Series 1/1 Preparation GN

PG250Prep	Fridge	2-4	1331 x 700 x 751	Stainless Steel	4 x 1-3 or 8 x 1-6	260	✓
PG400Prep	Fridge	3-6	1799 x 700 x 751	Stainless Steel	7 x 1-3 or 14 x 1-6	410	✓
PG550Prep	Fridge	4-8	2267 x 700 x 751	Stainless Steel	10 x 1-3 or 20 x 1-6	560	✓



Pegasus Series 2/1 Preparation GN

PG500Prep	Fridge	2-4	1750 x 828 x 771	Stainless Steel	7 x 1-3 or 14 x 1-6	480	✓
PG800Prep	Fridge	3-6	2435 x 828 x 771	Stainless Steel	11 x 1-3 or 22 x 1-6	750	✓



Pegasus Series 2/1 Pizza GN

PG500Pizza	Fridge	2-4	1750 x 830 x 900	Stainless Steel	9 x 1-3 or 18 x 1-6	480	✓
PG800Pizza	Fridge	3-6	2435 x 830 x 900	Stainless Steel	13 x 1-3 or 26 x 1-6	750	✓



Centaur Series Sandwich Non-GN

BC120-S	Fridge	2-2	1200 x 725 x 1075	Stainless Steel	6 x 1-3	275	
BC180-S	Fridge	3-3	1800 x 725 x 1075	Stainless Steel	9 x 1-3	469	



Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Well Capacity (150mm deep pans)	Gross Volume (litres)	Remote Option
----------	-------------------	------------------------------------	--------------------------	--------	---------------------------------	-----------------------	---------------

Centaur Series Pizza Non-GN

BC180-P	Fridge	2-2	1800 x 953 x 1050	Stainless Steel	9 x 1-3	597	
BC240-P	Fridge	3-3	2370 x 953 x 1050	Stainless Steel	12 x 1-3	733	
BC240-PS	Fridge	2 Door - 2 Drawer	2370 x 953 x 1050	Stainless Steel	12 x 1-3	733	



* External dimensions (W x D x H); for accuracy always check the cabinet model's specification sheet as variations can occur due to legs, castors, plinth, optional countertop measurements and remote cabinet measurements.

Note: All Food Preparation cabinets have solid doors only.

1/3 pan size = 325x176x150mm

Food Display

Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (glass/solid)	Gross Volume (litres)	Remote Option
----------	-------------------	------------------------------------	--------------------------	--------	-------------------------	-----------------------	---------------

Food Display Series

FDM900	Fridge or Ambient	Rear doors - 6	900 x 662 x 1305	Stainless Steel	Glass	288	✓
FDM1200	Fridge or Ambient	Rear doors - 9	1200 x 662 x 1305	Stainless Steel	Glass	432	✓
FDM1500	Fridge or Ambient	Rear doors - 12	1500 x 662 x 1305	Stainless Steel	Glass	576	✓



VFX Series

VF650X	Freezer or Ice**	1-5	740 x 745 x 2200	White, Black, SS	Glass / Solid	610	✓
VF1000X	Freezer or Ice**	2-10	1130 x 745 x 2200	White, Black, SS	Glass / Solid	980	✓
VF1300X	Freezer or Ice**	2-10	1480 x 745 x 2210	White, Black, SS	Glass / Solid	1310	✓
VF1500X	Freezer or Ice**	3-15	1705 x 745 x 2200	White, Black, SS	Glass / Solid	1500	✓



VF Drop-In

VF Ice Drop-In	Freezer	N/A	1132 x 720 x 390	N/A	N/A	N/A	
----------------	---------	-----	------------------	-----	-----	-----	--

Open Deck Series

OD260	Fridge	0-3	650 x 735 x 1400	White, Black	N/A	230	
OD400	Fridge	0-3	900 x 660 x 1400	White, Black	N/A	251	Custom
OD460	Fridge	0-3	1205 x 660 x 1300	White, Black	(Night Blind) N/A	386	Custom
OD1100	Fridge	0-5	1285 x 830 x 2015-2195	White, Black, SS	(Night Blind) N/A	1020	Custom



** Shelf information different between Freezer and Ice

One Ice shelf VF650 X ICE, VF1000X ICE

Two Ice shelves VF1300X ICE

Three Ice shelves VF1500X ICE

Bar Display

Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (glass/solid)	Gross Volume (litres)	Remote Option
Backbar X Series							
BB380X Swing	Fridge	2-4	1500 x 590 x 920	White, Black, SS	Glass	380	✓
BB580X Swing	Fridge	3-6	2060 x 590 x 920	White, Black, SS	Glass	580	✓
BB780X Swing	Fridge	4-8	2620 x 590 x 920	White, Black, SS	Glass	780	✓
Backbar Series							
BB380 Sliding	Fridge	2-4	1500 x 596 x 920	White, Black, SS	Glass	380	✓
BB580 Sliding	Fridge	3-6	2060 x 596 x 920	White, Black, SS	Glass	580	✓
BB780 Sliding	Fridge	4-8	2620 x 596 x 920	White, Black, SS	Glass	780	✓
Counterline Series							
CL400	Fridge	2-4	1600 x 680 x 725	White, Black, SS	Glass / Solid	390	✓
CL600	Fridge	3-6	2210 x 680 x 725	White, Black, SS	Glass / Solid	600	✓
CL800	Fridge	4-8	2820 x 680 x 725	White, Black, SS	Glass / Solid	810	✓
CC300 Slim	Fridge	2-4	1600 x 600 x 725	White, Black, SS	Glass / Solid	335	✓
CC500 Slim	Fridge	3-6	2210 x 600 x 725	White, Black, SS	Glass / Solid	517	✓
CC700 Slim	Fridge	4-8	2820 x 600 x 725	White, Black, SS	Glass / Solid	700	✓
Glass Chiller Series							
GC110r (Remote only)	Fridge	1-3	750 x 600 x 725	White, Black, SS	Glass / Solid	11	✓

Models listed are integral only. For remote models see skope.com


*External dimensions (W x D x H); for accuracy always check the cabinet model's specification sheet as variations can occur due to legs, castors, plinth, optional countertop measurements and remote cabinet measurements.

Height measurements shown for SKB ActiveCore and BME ActiveCore are without optional sign panel or lit sign.

General Display

Model ID	Fridge or Freezer	Storage Capacity (doors - shelves)	External W x D x H (mm)*	Finish	Door Type (glass/solid)	Gross Volume (litres)	Remote Option
TME ActiveCore 2 Series (Top Mount)							
TME650N-A & TME650N-AC (lit sign)*	Fridge	1-5	740 x 745 x 2200	White	Glass	610	
TME1000N-A & TME1000N-AC (lit sign)*	Fridge	2-10	1130 x 745 x 2200	White	Glass	980	
TME1500N-A & TME1500N-AC (lit sign)	Fridge	3-15	1705 x 750 x 2200	White	Glass	1497	
BME ActiveCore 2 Series (Bottom Mount)							
BME600N-A & BME600N-AC (lit sign)	Fridge	1-5	740 x 795 x 2005/2195	White, Black**	Glass	584	
BME1200N-A & BME1200N-AC (lit sign)	Fridge	2-10	1280 x 795 x 2005/2195	White, Black***	Glass	1079	
BME1500N-A & BME1500N-AC (lit sign)	Fridge	3-15	1640 x 795 x 2005/2195	White	Glass	1433	
SKT ActiveCore 2 Series (Top Mount)							
SKT500-X (Non ActiveCore)	Fridge	1-5	570 x 745 x 2200	White, Black, SS	Glass / Solid	445	✓
SKT650N-A	Fridge	1-5	740 x 745 x 2200	White, Black, SS	Glass / Solid	610	✓
SKT1000N-A	Fridge	2-10	1130 x 750 x 2200	White, Black, SS	Glass / Solid	980	✓
SKT1500N-A	Fridge	3-15	1705 x 745 x 2200	White, Black, SS	Glass / Solid	1497	✓
SKB ActiveCore 2 Series (Bottom Mount)							
SKB600N-A	Fridge	1-5	740 x 795 x 2005/2195	White, Black, SS	Glass / Solid	584	✓
SKB900N-A	Fridge	2-10	1085 x 795 x 2005/2195	White, Black, SS	Glass / Solid	880	✓
SKB1200N-A	Fridge	2-10	1280 x 795 x 2005/2195	White, Black, SS	Glass / Solid	1079	✓
SKB1500N-A	Fridge	3-15	1640 x 795 x 2005/2195	White, Black, SS	Glass / Solid	1433	✓
EZICORE Series (Top Mount)							
TCE1000	Fridge	2-4	1130 x 750 x 2200	White	Glass	980	
Serene Series							
HB80-2	Fridge	1-2	500 x 560 x 770	White	Glass	80	
SC400	Fridge	1-4	670 x 695 x 2275	White/Black	Glass	396	
SC112 4 sided glass	Fridge	2-3	470 x 470 x 1175	Black	Glass	109	

*TME ActiveCore 1 & 2 door models now with R290 Natural Refrigerant & SKOPE-connect™
 **Black exterior, black interior (BME600-A only); Black exterior, white interior (BME600-AC only)
 ***Black exterior, white interior (BME1200-AC only)

R290 Natural Refrigerant  SKOPE-connect™

Blast Chillers

Model ID	Blast Chillers & Shock Freezers	External W x D x H (mm)*	Finish	Door Type (Glass/Solid)	Yield Per Cycle	Remote Option
Irinex Reach In Series						
EF10.1 - Reach In	Blast Chiller & Shock Freezer	535 x 655 x 760	Stainless Steel	Solid	10kg	✓
EF15.1 - Reach In	Blast Chiller & Shock Freezer	720 x 747 x 835	Stainless Steel	Solid	15kg	✓
EF20.1 - Reach In	Blast Chiller & Shock Freezer	790 x 771 x 870	Stainless Steel	Solid	20kg	✓
EF30.1 - Reach In	Blast Chiller & Shock Freezer	790 x 971 x 1595	Stainless Steel	Solid	30kg	✓
EF45.1 - Reach In	Blast Chiller & Shock Freezer	790 x 972 x 1970	Stainless Steel	Solid	45kg	✓
MF25.1 PLUS - Reach In	Blast Chiller & Shock Freezer	790 x 771 x 870	Stainless Steel	Solid	25kg	✓
MF30.2 PLUS - Reach In	Blast Chiller & Shock Freezer	870 x 902 x 870	Stainless Steel	Solid	30kg	✓
MF45.1 PLUS - Reach In	Blast Chiller & Shock Freezer	790 x 962 x 1595	Stainless Steel	Solid	45kg	✓
MF70.1 PLUS - Reach In	Blast Chiller & Shock Freezer	790 x 962 x 1970	Stainless Steel	Solid	70kg	✓
MF70.2 PLUS - Reach In	Blast Chiller & Shock Freezer	870 x 1092 x 1595	Stainless Steel	Solid	70kg	✓
MF85.2 PLUS - Reach In	Blast Chiller & Shock Freezer	870 x 1092 x 1970	Stainless Steel	Solid	85kg	✓



Irinex Roll In Series

MF100.1 - Roll In	Blast Chiller & Shock Freezer	1210 x 1115 x 2150	Stainless Steel	Solid	100kg	✓
MF100.1 ST - Roll In	Blast Chiller & Shock Freezer	1100 x 1115 x 2300	Stainless Steel	Solid	100kg	✓
MF100.2 - Roll In	Blast Chiller & Shock Freezer	1600 x 1425 x 2350	Stainless Steel	Solid	100kg	✓
MF130.2 - Roll In	Blast Chiller & Shock Freezer	1600 x 1425 x 2350	Stainless Steel	Solid	130kg	✓
MF180.2 - Roll In	Blast Chiller & Shock Freezer	1600 x 1425 x 2350	Stainless Steel	Solid	180kg	✓
MF180.2 Large - Roll In	Blast Chiller & Shock Freezer	1880 x 1724 x 2395	Stainless Steel	Solid	180kg	✓
MF250.2 - Roll In	Blast Chiller & Shock Freezer	1600 x 1425 x 2350	Stainless Steel	Solid	250kg	✓
MF250.2 2T - Roll In	Blast Chiller & Shock Freezer	1600 x 2755 x 2450	Stainless Steel	Solid	250kg	✓
MF350.2 2T - Roll In	Blast Chiller & Shock Freezer	1600 x 2755 x 2450	Stainless Steel	Solid	350kg	✓
MF350.2 2T Large - Roll In	Blast Chiller & Shock Freezer	1880 x 3194 x 2488	Stainless Steel	Solid	350kg	✓
MF350.2 3T - Roll In	Blast Chiller & Shock Freezer	1600 x 3923 x 2475	Stainless Steel	Solid	350kg	✓
MF500.2 2T - Roll In	Blast Chiller & Shock Freezer	1600 x 2755 x 2450	Stainless Steel	Solid	500kg	✓
MF500.2 3T - Roll In	Blast Chiller & Shock Freezer	1600 x 3923 x 2475	Stainless Steel	Solid	500kg	✓
MF500.2 3T Large - Roll In	Blast Chiller & Shock Freezer	1880 x 4824 x 2475	Stainless Steel	Solid	500kg	✓
MF750.2 3T - Roll In	Blast Chiller & Shock Freezer	1602 x 3923 x 2475	Stainless Steel	Solid	750/850kg	✓
MF750.2 4T - Roll In	Blast Chiller & Shock Freezer	1600 x 3923 x 2475	Stainless Steel	Solid	750/850kg	✓
MF750.2 4T Large - Roll In	Blast Chiller & Shock Freezer	1880 x 6294 x 2475	Stainless Steel	Solid	750/850kg	✓



Model ID	Holding Cabinets	External W x D x H (mm)*	Finish	Door Type (Glass/Solid)	Tray Capacity	Remote Option
Irinex Series						
NICE Dual Temp	Holding Cabinet	730 x 821 x 2060	Stainless Steel	Solid	Max 31 trays GN2/1	✓
CP ONE	Holding Cabinet	810 x 1107 x 2085	Stainless Steel	Solid	fits 800 x 600 pastry trays	✓
CP40 MULTI	Holding Cabinet	900 x 1245 x 2360	Stainless Steel	Solid	from 40 to 80	✓
CP80 MULTI remote only	Holding Cabinet	1840 x 1245 x 2360	Stainless Steel	Solid	from 80 to 160	✓
CP120 MULTI remote only	Holding Cabinet	2770 x 1245 x 2360	Stainless Steel	Solid	from 120 to 240	✓




Models listed are integral only. For remote models see skope.com


* External dimensions (W x D x H); for accuracy always check the cabinet model's specification sheet as variations can occur due to legs, castors, plinth and optional countertop measurements.

SKOPE ITV Ice Makers

Model ID	Ice Shape	Type	Ice Volume (cc)	Production/24hrs (kg)	Max Storage (kg)	External W x D ¹ x H ² (mm)
ALFA Series						
NDP20 A	Cubed	Self Contained	14/17	24	6	350 x 475 x 595/ 601
NG30 A	Cubed	Self Contained	17/21	30	15	405 x 515 x 744/849-899
NG45 A	Cubed	Self Contained	17/21	45	20	465 x 595 x 789/894-944
NG60 A	Cubed	Self Contained	17/21	60	25	535 x 595 x 789/894-944
NG80 A	Cubed	Self Contained	17/21	80	35	715 x 595 x 939/1044-1094
NG110 A	Cubed	Self Contained	17/21	110	60	715 x 700 x 1044/1149-1199
NG150 A	Cubed	Self Contained	17/21	150	75	860 x 700 x 1044/1149-1199



GALA Series						
MDP150 A	Cubed	Modular	25/30	150	-	775 x 625 x 805
MR400 A	Cubed	Modular	25/30	345	-	1321 x 638 x 978
SPIKA Half Dice Series						
NG60 A HD	Half Dice	Self Contained	6.5	52	20	535 x 595 x 789/ 894-944
NG90 A HD	Half Dice	Self Contained	6.5	84	35	660 x 700 x 832/ 937-987
NG110 A HD	Half Dice	Self Contained	6.5	96	35	660 x 700 x 832/ 937-987
NG140 A HD	Half Dice	Self Contained	6.5	138	45	762 x 762 x 832/ 937-987
MS220 A HD	Half Dice	Modular	6.5	220	-	762 x 620 x 500
MS300 SLIM HD	Half Dice	Modular	6.5	305	-	559 x 621 x 659
MS410A HD	Half Dice	Modular	6.5	450	-	760 x 620 x 762



SPIKA Full Dice Series						
NG60 A FD	Full Dice	Self Contained	13	52	20	535 x 595 x 789/ 894-944
NG90 A FD	Full Dice	Self Contained	13	84	35	660 x 700 x 832/ 937-987
NG110 A FD	Full Dice	Self Contained	13	96	35	660 x 700 x 832/ 937-987
NG140 A FD	Full Dice	Self Contained	13	138	45	762 x 762 x 832/ 937-987
MS220 A FD	Full Dice	Modular	13	220	-	762 x 620 x 500
MS300 SLIM FD	Full Dice	Modular	13	305	-	559 x 621 x 659
MS410A FD	Full Dice	Modular	13	450	-	760 x 620 x 762



1. Depth includes door
2. Height with adjustable legs

Model ID	Ice Shape	Type	Ice Size (grams)	Production/24hrs (kg)	Max Storage (kg)	External W x D ¹ x H ² (mm)
ICE QUEEN Self Contained Series						
IQ 50	Granular - Dry	Self Contained	-	58	20	465 x 595 x 789/ 884-934
IQ 85	Granular - Dry	Self Contained	-	88	20	465 x 595 x 789/ 884-934
IQ 135	Granular - Wet	Self Contained	-	135	40	515 x 550 x 1355



ICE QUEEN Modular Series						
IQ 200	Granular - Wet	Modular	-	220	-	515 x 550 x 575
IQ 400	Granular - Wet	Modular	-	390	-	675 x 550 x 660
IQ 550	Granular - Wet	Modular	-	565	-	675 x 550 x 800
IQ 1100	Granular - Wet	Modular	-	125	-	1335 x 610 x 815



SILLO Storage Bin Series						
S160	-	-	-	-	181	559 x 872 x 1122/ 1224
S220	-	-	-	-	230	762 x 819 x 1071/ 1224
S350	-	-	-	-	340	1067 x 819 x 1071/ 1224
S400	-	-	-	-	390	1219 x 819 x 1071/ 1224
S500	-	-	-	-	480	1321 x 872 x 1122/ 1275



SILLO Storage Bin with Cart Series						
SCS150	-	-	-	-	252kg (140kg in ice bin & 112kg in cart)	762 x 1163 x 1320
SCS300	-	-	-	-	412kg (300kg in ice bin & 112kg in cart)	762 x 1163 x 1865
SCD400	-	-	-	-	637kg (413kg in ice bin & 224kg in carts)	1524 x 1163 x 1520
SCD600	-	-	-	-	841kg (617kg in ice bin & 224kg in carts)	1524 x 1163 x 1820
SCD800	-	-	-	-	1036kg (812kg in ice bin & 224kg in carts)	1524 x 1163 x 2084
EASY CART	-	-	-	-	-	-
6 TOTE KIT	-	-	-	-	-	-



Accessories

Stacking Kit	-	-	-	-	-	-
Water Filter	-	-	-	-	-	-
Drain Pump	-	-	-	-	-	-
Castor Set	-	-	-	-	-	-



Refer to the ITV Ice Maker Brochure for full product and accessory details

1. Depth includes door
2. Height with adjustable legs

Glass Door Inserts & Shelves

Glass Door Insert Series	Doors	Room Type	Door Height (mm)	Door Width (mm)	Visible Frame Size (w x h)* (mm)	Cutout Size (w x h) (mm)	Rated Current (A)
DC-1-18-70	1	Cool	1800	700	822 x 1913	764 x 1855	0.8
DC-1-18-75	1	Cool	1800	750	872 x 1913	814 x 1855	0.8
DF-1-18-70	1	Freezer	1800	700	822 x 1913	764 x 1855	1.8
DF-1-18-75	1	Freezer	1800	750	872 x 1913	814 x 1855	2.2
DC-2-18-70	2	Cool	1800	700	1550 x 1913	1492 x 1855	1.2
DC-2-18-75	2	Cool	1800	750	1650 x 1913	1592 x 1855	1.2
DF-2-18-70	2	Freezer	1800	700	1550 x 1913	1492 x 1855	3.1
DF-2-18-75	2	Freezer	1800	750	1650 x 1913	1592 x 1855	3.3
DC-3-18-70	3	Cool	1800	700	2278 x 1913	2220 x 1855	1.7
DC-3-18-75	3	Cool	1800	750	2428 x 1913	2370 x 1855	1.7
DF-3-18-70	3	Freezer	1800	700	2278 x 1913	2220 x 1855	4.3
DF-3-18-75	3	Freezer	1800	750	2428 x 1913	2370 x 1855	4.7
DC-4-18-70	4	Cool	1800	700	3006 x 1913	2948 x 1855	2.1
DC-4-18-75	4	Cool	1800	750	3206 x 1913	3148 x 1855	2.1
DF-4-18-75	4	Freezer	1800	700	3006 x 1913	2948 x 1855	5.6
DF-4-18-75	4	Freezer	1800	750	3206 x 1913	3148 x 1855	6.1
DC-5-18-70	5	Cool	1800	700	3734 x 1913	3674 x 1855	2.6
DC-5-18-75	5	Cool	1800	750	3984 x 1913	3926 x 1855	2.6
DF-5-18-70	5	Freezer	1800	700	3734 x 1913	3674 x 1855	6.9
DF-5-18-75	5	Freezer	1800	750	3984 x 1913	3926 x 1855	7.5
DC-6-18-70	6	Cool	1800	700	4462 x 1913	4404 x 1855	3.1
DC-6-18-75	6	Cool	1800	750	4762 x 1913	4704 x 1855	3.1
DF-6-18-70	6	Freezer	1800	700	4462 x 1913	4404 x 1855	8.1
DF-6-18-75	6	Freezer	1800	750	4762 x 1913	4704 x 1855	8.9
DC-7-18-70	7	Cool	1800	700	5190 x 1913	5132 x 1855	3.5
DC-7-18-75	7	Cool	1800	750	5540 x 1913	5482 x 1855	3.5
DF-7-18-70	7	Freezer	1800	700	5190 x 1913	5132 x 1855	9.4
DF-7-18-75	7	Freezer	1800	750	5540 x 1913	5482 x 1855	10.2



Shelves Series **Shelf Bays** **Suits Glass Door Insert** **Shelf Height (mm)** **Shelf Width (mm)** **Shelf Length (mm)**

DS-1-20-70	1	DC & DF-1-18-70	1990	665	787
DS-1-20-75	1	DC & DF-1-18-75	1990	715	837
DS-2-20-70	2	DC & DF-2-18-70	1990	665	1515
DS-2-20-75	2	DC & DF-2-18-75	1990	715	1615
DS-3-20-70	3	DC & DF-3-18-70	1990	665	2243
DS-3-20-75	3	DC & DF-3-18-75	1990	715	2393
DS-4-20-70	4	DC & DF-4-18-70	1990	665	2971
DS-4-20-75	4	DC & DF-4-18-75	1990	715	3171
DS-5-20-70	5	DC & DF-5-18-70	1990	665	3699
DS-5-20-75	5	DC & DF-5-18-75	1990	715	3949
DS-6-20-70	6	DC & DF-6-18-70	1990	665	4427
DS-6-20-75	6	DC & DF-6-18-75	1990	715	4727
DS-7-20-70	7	DC & DF-7-18-70	1990	665	5155
DS-7-20-75	7	DC & DF-7-18-75	1990	715	5505



The product information presented is for guideline purposes only. Always refer to the latest product specification for accuracy and detail.

ActiveCore 2

the next generation of cool



Optimal power savings



SKOPE-connect™
puts you in control



R290 Natural Refrigerant
a green choice



Full Warranty
ActiveCore™ Series



Allow the following dimensional tolerances:

Linear Dimensions	Overall Cabinet Dimensions	Length of multiple cabinets	
		At each joint	At each end wall
Less than 1 metre	+5mm	+5mm	+15mm
More than 1 metre	-5mm to +10mm	-5mm to +10mm	+15mm

*For Full Warranty Terms & Conditions visit www.skope.com/resources/legal/warranty-terms-and-conditions/

The product information presented is for guideline purposes only. Always refer to the latest product specification for accuracy and detail.

Information contained in this document has been checked for accuracy at the time of production. SKOPE reserves the right to alter any detail without notice. Prices and conditions are subject to change without notice. The photographs used in this publication are for illustrative purposes only. Minor design changes may result in slight variations between the product illustrated and the final delivered product.

AUS 1800 121 535 / NZ 0800 947 5673. Copyright © SKOPE Industries Limited. All rights reserved. SKOPE Industries Ltd reserves the right to alter specifications without notice. Visit www.skope.com for the most recent specification documents.

A photograph of a bottle of red wine and a glass of white wine on a wooden surface. The bottle is in the background, and the glass is in the foreground. The glass is filled with white wine and has a decorative cut-crystal pattern. The bottle is dark and has a red label. The background is blurred, showing a window with light coming through.

SKOPE[®]

Customer Services

Australia

Freephone 1800 121 535
Email skope@skope.com

New Zealand

Freephone 0800 947 5673
Email skope@skope.com

For further product
information skope.com

SKOPE Funding

Australia

Freephone 1800 121 535 (opt 4)
Email skopefunding@skope.com

New Zealand

Freephone 0800 947 5673 (opt 4)
Email skopefunding@skope.com

For further information
skope.com/funding